

tab	
of	
con	t
DOWNRIGG	ER

- what is a downrigger
- choosing your downrigger
- high performance
- 10 depthpower
- 12 manual
- 14 compact
- 16 laketroller

#### **DOWNRIGGER MOUNTS**

- **18** downrigger mounts
- **19** compact downrigger mounts
- **19** downrigger dual rod holder

#### **DOWNRIGGER PARTS** & ACCESSORIES

- 20 parts & accessories
- **22** downrigger tackle
- 23 cable & line

#### LINE RELEASES

- 26 power grip plus
- 26 mini power grip plus
- 27 snapper
- 27 mini snapper

#### **LINE PULLERS**

- 28 electric
- 28 manual
- 29 bait jars

#### **ROD HOLDERS**

- **30** R-5
- **32** orca
- 34 striker
- **36** power lock
- 40 rocket launcher 40 rodmaster II
- 41 rodmaster

### stay connected

- **FACEBOOK**
- @scottyfishingproducts
- **INSTAGRAM**
- #scottyproducts
- **TWITTER** @scottyproducts
- YOUTUBE
  - #scottyproducts

www.scotty.com www.scottypaddlesports.com www.scottyfire.com

- 41 side winder
- 42 baitcaster spinning
- **44** fly rod

#### MOUNTS

- 46 electronic mounts
- 49 transducer mounts
- 50 ball mounts
- 54 locking gunnel track mount
- 56 post mounts
- 57 adaptors
- **57** triple mounting system
- **58** low profile track
- 58 gear head
- 65 glue/stick on mounts

#### **ACCESSORIES**

- 60 inflatable accessories
- **62** track adaptor
- **64** fishing accessories
- 66 extensions & adaptors 68 bait board
- 69 anchor lock
- 70 boating accessories
- PADDLE SPORTS

- **72** paddle sport accessories
- 73 kayak stabilizer
- 74 kayak accessories
- 76 kayak fishing starter pack

#### **SAFETY EQUIPMENT**

- 78 sea-light
- 79 pumps

### **JORDAN-SCOTTY**

- **80** fish egg incubator systems
- 82 SOCIAL MEDIA

### legend



— Water Surface Best suited for still water



**Vessel Recommendation** Suited for paddle sports



No assembly required



Factory and field tested



Colour options



**QR Codes** Scan using your phone's camera for more Information



# **SINCE 1952**



#### **SCOTTY: THE WAY TO FISH**<sup>®</sup>!

In 1952, Blayney Scott and his wife Almeda Scott started a small company in Victoria, British Columbia that pioneered the use of plastics in the manufacturing of salmon fishing, lures and other marine products. From humble beginnings, Scotty Manufacturing Ltd. evolved to produce thousands of products under the Scotty trademark which are sold to the fishing, marine, outdoor and firefighting industries worldwide. The company is now situated near the YYJ Victoria International Airport in an 85,000 sq.ft. manufacturing plant built in 2000, and has recently expanded.

The Scotty trademark has become recognized to mean product excellence. The total commitment to quality, fair pricing and unmatched service means our customers everywhere can expect reliability and satisfaction from every product that carries the Scotty name. This commitment has taken us to where we are today and will hopefully serve us well for many years to come. All products are backed by years of manufacturing experience and the highest quality customer service. Excellent vendor support and a superior product have made Scotty a leader in the fishing industry.

## **SCOTTY** location





### **Scotty Fishing & Outdoor Products**

2065 Henry Ave West Sidney, British Columbia Canada V8L 5Z6

**Phone:** 250 656 8102 Toll Free: 1800 214 0141 Fax: 250 656 8126 **Email:** scotty@scotty.com





SCOTTY IS LOCATED ON VANCOUVER ISLAND, BRITISH COLUMBIA, CANADA

## DOWNRIGGERS explained



Downriggers were created for one principal reason: to allow anglers to troll their lures at a specific depth.

Years of testing and practical use have shown that a moving bait or lure in the water, trolled at the depth where fish are present, is the best way to ensure a hookup and to get results.

Downriggers improved both trolling results, and the fun factor. They put the sport back in sport fishing.


The earliest Downriggers were very simple in form, generally consisting of a spool of wire mounted to the boat with a heavy weight hung on the end of the wire. The lure or bait was attached directly to the Downrigger weight and did not release when a fish struck.


The angler had to wind up both the weight and the fish. This concept of deep trolling became popular with sport fishermen when the idea of attaching a rod to the Downrigger, by means of a release clip, was introduced.


A release clip is attached to the wire and then the fishing line from the rod is clipped into the release. The Downrigger weight is then lowered to precisely the depth required.

When a fish hits, the line is released from the Downrigger wire, leaving the heavy weight on the Downrigger.

The angler is then free to fight the fish on the rod and reel alone, without the added drag of heavy lines and trolling weights used in the past. Scotty introduced its first Downrigger over 40 years ago and now produces the most complete range of Downriggers and accessories in the world.







When a fish strikes it pulls your fishing reel and carefully let fishing line out of the release and the Downrigger line out to a you are free to fight the fish on the rod and reel.

## CHOOSING your downrigger compare our models to find a perfect fit for you

### electric downriggers

**HIGH PERFORMANCE** 

All Electric Models have 12 v Marinco™ corrosion resistant plug + socket, locking tilt up mount, large surface automatic brake, spray protected positive-drive depth counter, Kevlar™ belt driven and an auto stop with jog button feature.

	HIGH PERFORMANCE			DEPTHPOWER				
STAINLESS STEEL CABLE	2106	2106B	2116	1099	1101	1106	1106B	1116
• premium test 150 lb.			250 ft.	250 ft.	250 ft.		250 ft.	
• premium test 180 lb.	300 ft.		300 ft.					
BRAIDED LINE								
<ul> <li>premium test 200 lb.</li> </ul>							300 ft.	
• premium test 250 lb.		300 ft.						
16 POSITION SWIVEL	<b>Ø</b>	<b>Ø</b>	•	SOLD SEPARATELY	•	•	•	•
MOUNTING BASE	•	•	•	SEPARATELY		•	•	•
POWER GRIP PLUS LINE	1170	1170	1170 & 1171	1170	1170	1170	1170	1170 & 1171
RELEASE MODEL NUMBER	1170	1170	11/0 & 11/1	1170	1170	1170	1170	11/0 & 11/1
ROD HOLDER MODEL	358 RODMASTER	358 RODMASTER	447 DUAL ROCKET	355 RODMASTER	358 RODMASTER	358 RODMASTER	358 RODMASTER	247 DUAL ROD
ROD HOLDER MODEL	II	II	LAUNCHER	II	II	II	II	HOLDER
WEIGHT STORAGE HOOK	•	•	•	SOLD SEPARATELY	SOLD SEPARATELY	SOLD SEPARATELY	•	•
STAINLESS STEEL	36" - 60" TELESCOPIC	36" - 60" TELESCOPIC	36" - 60" TELESCOPIC	24" FIXED	30" FIXED	36" - 60" TELESCOPIC	36" - 60" TELESCOPIC	36" - 60" TELESCOPIC
BOOM LENGTH	TEEESCOPIC	TELESCOPIC		IIVED	IIVED	TEEESCOPIC	TEEESCOPIC	ILLESCOPIC

/eight	12lb.	15lb.	20lb.	Weight	7 lb.	10lb.	15lb.
etrieval Speed	304 ft./min.	295 ft./min.	260 ft./min.	Retrieval Speed	235 ft./min.	222 ft./min.	203 ft./min.
mperage Draw	13 amps	14.5 amps	19.5 amps	Amperage Draw	4 amps	5 amps	8 amps

manual c	MANUAL 1080	1085	1091	<b>COMPACT</b> 1050 1050MP 1060			LAKETROLLER 1071 1073		
PREMIUM 150 LB.	STRONGARM	STRONGARM	LONGARM COMBO PACK		R MASTERPACK	DEPTHKING	CLAMP MOUNT	BRACKET MOUNT	
TEST STAINLESS STEEL CABLE	200 ft.	200 ft.	200 ft.	200 ft.	200 ft.	200 ft.	100 ft.	100 ft.	
LOCKING TILT-UP MOUNT	•	•	•	N/A	N/A	N/A	N/A	N/A	
POWER GRIP PLUS LINE RELEASE MODEL NUMBER	1170	1170	1170	1170	1170	1170	1181 MINI POWER GRIP PLUS	1181 MINI POWER GRIP PLUS	
ROD HOLDER MODEL	355 RODMASTER II	358 RODMASTER II	358 RODMASTER II	355 RODMASTER II	355 RODMASTER II	355 RODMASTER II	N/A	N/A	
WEIGHT STORAGE HOOK	SOLD SEPARATELY	SOLD SEPARATELY	SOLD SEPARATELY	N/A	N/A	N/A	N/A	N/A	
STAINLESS STEEL BOOM - LENGTH	24" FIXED	30" FIXED	36"- 60" TELESCOPIC	23" FIXED	23" FIXED	23" FIXED	12" FIXED	12" FIXED	
LARGE SURFACE AUTOMATIC BRAKE	•	•	•	•	•	•	MANUAL DRAG BRAKE	MANUAL DRAG BRAKE	
SPRAY PROTECTE POSITIVE-DRIVE DEPTH COUNTER	D <b>Ø</b>	9	9	•	•	•	N/A	N/A	
SPOOL DIAMETER FT. PER TURN	2 ft.	2 ft.	2 ft.	1 ft.	1 ft.	2 ft.	1 ft.	1 ft.	

## PERFORMANCE downrigger highest performance and speed

**Scotty High Performance Electric Downriggers** have reached the highest performance and reliability standards yet, while remaining competitively priced. Thousands of anglers now enjoy the superior speed, power and years of reliability that only Scotty offers. Scotty's custom designed marine components and final quality control tests produce a Downrigger that is unmatched in the industry.

#### FEATURES INCLUDED WITH HIGH PERFORMANCE MODELS



Line Release
Power Grip Plus 18" (1170)



#### **Rod Holders**

Rod Master II 2106 & 2106B models (358) Dual Rod Holders 2116 model (447)



Tilt-up Mounting Bracket (1023)

Swivel Mount (1026)

Right Angle Marinco® Receptacle Mount (2128)




**Auto Stop (1121)** 





### Storage Hook (1148)





Marinco<sup>®</sup> 12V Plug & Receptacle (2125)

Power cord length, 40"



300 ft. of 180 lb. test stainless steel cable, 300 ft. of 250 lb. test braided line (2106B model)



Digital Illuminated LCD (2134)







**Limited Lifetime** 





### 2106 high performance

The Downrigger of choice for serious fishermen. Unmatched in power, performance and reliability. Equipped with 300 ft. of 180 lb. test stainless steel cable. 36"-60" long 11/4" telescopic boom. telescopic boom.

### 2106B high performance

Power and performance packaged with our strongest braided Downrigger line. Equipped with 300 ft. of 250 lb. test braided line. 36"-60" long 11/4"



### high performance propack

The number one choice in performance Downriggers for the charter captain. Equipped with 300 ft. of 180 lb. test stainless steel cable and our stainless steel rocket launcher dual rod holders. 36"-60" long 11/4" telescopic boom.



## DEPTHPOWER COWNTIGGET Superior speed, power and years of reliability

Enclosed pulley system

Scotty Depthpower Electric Downriggers have the highest performance and reliability standards ever, while remaining competitively priced. Thousands of fishermen now enjoy the superior speed, power and years of reliability that only Scotty offers. From custom designed marine motors to the final quality control tests, Scotty performance is unmatched in the industry.

#### FEATURES INCLUDED WITH **DEPTHPOWER MODELS**



Line Release

Power Grip Plus 18" (1170)



Rod Master II (358) 1101 model Rod Master II (355) 1099 model Dual Rod Holder (247) 1116 model




#### **Mounts**

Tilt-up Mounting Bracket (1023)

Swivel Mount (1026) (except 1099 model)

Right Angle Marinco<sup>®</sup> Receptacle Mount (2128)







Storage Hook (1148)

(1106B & 1116 only)



Marinco<sup>®</sup> 12V Plug & Receptacle (2125)

Power cord length, 40"



250 ft. of 150 lb. test stainless steel cable. 300 ft. of 200 lb. test braided line (1106B model only)

depth counte



Mechanical (1145)



Factory & Field Tested





#### Warranty **Limited Lifetime**





### 1099 compact

All the performance features in an easy to stow compact size. Equipped with 250 ft. of 150 lb. test stainless steel cable. 24" long 1" diameter boom.



### 1106B depthpower

All the features you have come to love with 
The top choice of charter captains. our depthpower series. Now available with Equipped with 250 ft. of 150 lb. test more options than ever. Equipped with 300 stainless steel cable. 36"-60" long 11/4" ft. of 200 lb. test braided line. 36"-60" long diameter telescopic boom. 11/4" diameter telescopic boom.



Designed for heavy duty use, this unit will handle long hours and heavy weights in tough conditions. Equipped with 250 ft. of 150 lb. test stainless steel cable. 30" long 11/4" diameter boom.



Our most popular electric Downrigger. Equipped with 250 ft. of 150 lb. test stainless steel cable. 36"-60" long 11/4" diameter telescopic boom.

> **Protect your** downrigger from

the elements with

our downrigger protective cover.

downrigger

cover



1116 propack



## MANUAL COUNTEGER highest performance and reliability

Scotty Manual Downriggers have been the preferred choice of anglers for over forty years. They are engineered with a number of exclusive features contained in no other Downrigger.

### FEATURES INCLUDED WITH MANUAL MODELS



Line Release
Power Grip Plus 18" (1170)



### **Rod Holder**

Rod Master II (358)



### **Mounts**

Tilt-up Mounting Bracket (1023)



### Downrigger Cable/Line 200 ft. of 150 lb. test stainless

steel cable



Mechanical (1146)




**Factory & Field Tested** 



### Warranty

**Limited Lifetime** 





### 1080 strongarm

This Downrigger has outstanding features The heavy duty workhorse of the for small and intermediate size boats. Equipped with 200 ft. of 150 lb. test stainless steel cable. 24" long 1" diameter boom.

### **85** strongarm

Scotty manual lineup. Excellent for the intermediate size boat. Equipped with 200 ft. of 150 lb. test stainless steel cable. 30" long 11/4" diameter boom.

### longarm

Ideal for big boats. Equipped with 200 ft. of 150 lb. test stainless steel cable. 36-60" long 11/4" diameter telescopic boom. Includes 1026 Swivel Mount.



## COMPACT COWNTIGGET more value than anything else on the market

The Depthmaster and Depthking models offer more value for the anglers than anything else on the market. The price and operating features of these units beat the competition hands down.

### **FEATURES INCLUDED** WITH COMPACT MODELS



Line Release Power Grip Plus 18" (1170)



Rod Holder Rod Master II (355)



**Downrigger Cable/Line** 200 ft. of 150 lb. test stainless steel cable



### Mechanical (1146)

**Mounts** 





### **Limited Lifetime**





### 1050 depthmaster

The perfect introductory Downrigger. One foot per turn of the spool. 23" long, 3/4" diameter boom.



### 1050 MP masterpack 1060 depthking

The perfect clamp on Downrigger.



Ideal for the small boat that fishes deep 23" long, 34" diameter boom. Includes 1021 and needs a high speed retrieval. Includes portable anodized aluminum clamp mount. a high speed 2 ft. per turn of the spool. 23" long, 3/4" diameter boom.



## LAKETROLLER COUNTIGEST light weight compact and easy to use

Laketroller Downriggers built for the smaller boat. Great for aluminum boats, kayaks and canoes.

### FEATURES INCLUDED WITH LAKETROLLER



Line Release
Mini Power Grip Plus 18" (1181)



Downrigger Cable/Line
100 ft. of 150 lb. test stainless steel cable



**Factory & Field Tested** 



Fully Assembled



**Warranty** Limited Lifetime




### 1071 clamp mount

Comes with fully portable engineering grade modified nylon clamp for mounting on the gunnel or transom (2" opening) Great for aluminum boats and canoes, 1 ft. per turn of the spool.



bracket mount

Mounting bracket permits mounting on a flat deck surface or on the side of a gunnel or transom. The mounting design gives  $360^{\circ}$  of rotation. Comes with a 241 Side Deck mount. 1 ft. per turn of the spool.





## DOWNRIGGER mounts



#### 1023

#### **TILT-UP MOUNTING BRACKET**

Extra mounting bracket for all Scotty tilt-up Downriggers. Also used as the mounting bracket for the Scotty 2500 Line Puller.

Dimensions: 21/2" x 4 1/2" Bolting dimensions: 3 3/4" x 15/8"



#### **RAIL MOUNT**

Fits up to 11/2" round rails, including oval-shaped wooden rails. Transfers the downward pressure to the boat gunnel. Fits all Scotty Downriggers (except Laketrollers) and can be used with 1026 Swivel Mount.

Dimensions: 6 1/8" x 7 1/8"



#### STANCHION MOUNT

The Scotty Stanchion Mount enables you to GIMBAL MOUNT - 12" quickly mount a Downrigger to your boat's Made from welded stainless steel for railing stanchion for extra stability. Fits all strength and durability. For use in factory Scotty Downriggers (except Laketrollers) and can be used with 1026 Swivel Mount. Dimensions: 6" x 6" x 6" (top plate) **Bolting Dimensions:** 2" x 4" (side plate)



#### 1036

#### **MOUNTING PLATE**

Extra mounting plate for 1026 Swivel Mount and 2606/2612 Pedestal Risers. Dimensions: 51/2" x 51/2" Bolting dimensions: 41/2" x 31/2"



#### RIGHT ANGLE SIDE GUNNEL MOUNT MOUNTING PLATE

For boats with narrow or uneven gunnels. Fits all Scotty Downriggers (except Laketrollers) and can be used with 1026 Swivel Mount.

Dimensions: 6" x 6" x 6" (top plate) Bolting dimensions: 2" x 4" (side plate)



### **GIMBAL MOUNT - 9"**

mounted gimbal rod holders only. Fits all Scotty Downriggers (except Laketrollers) and can be used with 1026 Swivel Mount. Dimensions: 1028 6 1/8" x 7 1/8" (top plate) 9" x 1 1/2" dia. (gimbal) 1029 6 1/8" x 7 1/8" (top plate)

12" x 1 3/4" dia. (gimbal)



#### 1026

### **SWIVEL MOUNT**

Gives a full 360° of rotation with 16 locking positions. Comes with 1036 Mounting Plate. Fits all Scotty Downriggers (except Laketrollers). Dimensions: 5 1/2" x 5 1/2" x 4" Bolting dimensions: 3 1/2" x 4 1/2"



#### 1037

Extra mounting plate for 1025 Right Angle Side Gunnel Mount. Bolting dimensions: 2" x 4" (side plate)



#### 2606/2612

#### **PEDESTAL RISER - 6" PEDESTAL RISER - 12"**

Made from 2" stainless steel tubing for the ultimate in strength and durability. Designed to be used with 1026 Swivel Mount, 1023 tilt-up Downrigger mount and 1010 compact Downrigger mount. Plate Dimensions: 5 1/2" x 5 1/2" Bolting Dimensions: 3 1/2" x 4 1/2"

## **DOWNRIGGER** compact mounts



#### **PORTABLE CLAMP-ON BRACKET**

Portable mounting option. Great for aluminum boats. Double stainless steel bolts and black anodized aluminum. 2" clamp opening. To be used with 1010 mounting bracket (sold separately). Dimensions: 5 %" x 4 3/4" x 3 1/8"



#### 1010

### QUICK-SLIDE DECK MOUNTING

#### **BRACKET**

Works with the 1025 through 1029 optional

Dimensions: 4 3/4" x 5 5/8"

Bolting Dimensions: 2\%" x 4\%"

## **DOWNRIGGER** dual rod holder



**DUAL ROD HOLDER** For use with the 1026 Swivel Mount.



**DUAL ROCKET LAUNCHER ROD HOLDER** For use with 1026 Swivel Mount.



## **DOWNRIGGER** parts & accessories



13/4" REPLACEMENT **MOUNTING BOLTS (2 pcs)** 

21/4" REPLACEMENT **MOUNTING BOLTS (2 pcs)** 

41/2" DOWNRIGGER MOUNTING **BOLT** (2000 models and earlier)

**6" DOWNRIGGER/LINE PULLER** MOUNTING BOLT (2001 Downrigger models and later)



MANUAL DOWNRIGGER HANDLE



**DOWNRIGGER LOCKING PLATES** For electric or manual downriggers (3 pcs) weights securely (2 pcs) (locks sold separately)



**EMERGENCY CRANK HANDLE** (For Electric Downriggers)



**DOWNRIGGER PULLEY REPLACEMENT KIT** 



**DOWNRIGGER PULLEY UPGRADE** 



**DOWNRIGGER LEAD WEIGHT** 3 lb. finned



WEIGHT MATE Holds your Downrigger



**DOWNRIGGER WEIGHT HOOK** For 1" boom **DOWNRIGGER WEIGHT HOOK** 



**SPARE DRIVE BELTS** 1128

For 11/4" boom

For 2 belt Depthpower Downriggers, 2000 models and earlier, dual belt model

For 1 belt Depthpower Downriggers, 2001 models and later 2129

For High Performance Downriggers and Line Puller (2500)



1158 **DEPTHPOWER DOWNRIGGER SPARE PARTS KIT** HIGH PERFORMANCE DOWNRIGGER

**SPARE PARTS KIT** 



1146 MANUAL COUNTER WITH BASE



**DEPTHPOWER COUNTER** WITH BASE



**HIGH PERFORMANCE DIGITAL COUNTER** (replaceable AAA Battery)



MANUAL COUNTER COVER



**DEPTHPOWER REPLACEMENT LID** 



HIGH PERFORMANCE REPLACEMENT LID WITH DIGITAL COUNTER

## **POWER** accessories



HELLA® 12V DOWNRIGGER PLUG & SOCKET SET Maximum 12 volt 18 amp applications (1126 & 1127) 1126 **HELLA® 12V DOWNRIGGER SOCKET** 

**HELLA® 12V DOWNRIGGER PLUG** 



MARINCO® 12V DOWNRIGGER PLUG



PREMIUM TINNED COPPER 12 GAUGE 30 AMP MARINE IN-LINE 2 CONDUCTOR POWER WIRE (12 ft.) FUSE HOLDER (Fuse included)



1124



2126 **MARINCO® 12V DOWNRIGGER** RECEPTACLE 2125 **MARINCO® 12V DOWNRIGGER PLUG** AND RECEPTACLE SET (2127 & 2126)



2128 **RIGHT ANGLE RECEPTACLE MOUNT** For Marinco® Downrigger Receptacle



## **DOWNRIGGER** cable & line














## **DOWNRIGGER** snubbers & more





## 375-378 SURE STOP PROFOR ELECTRIC DOWNRIGGERS

The sure stop turns off your electric Downrigger's auto stop at the same spot every time. The tuna cord provides a secure hold for your self-locating snap and is easier on your hands when pulling your gear to the boat. The Scotty Snubber absorbs shock, provides electrical insulation and helps prevent snags (models 377 & 378). Tubing has been added to provide protection against abrasion in high wear areas.








25

## POWER GRIP PLUS line release won't snag on weeds or foul lines





## **SNAPPER** line release Fishing line is gripped between

the soft pads. Variable release tension is attained by moving the line in or out of the jaws.



1041 18" 1049 30" 1040 48" **SNAPPER RELEASE CLIP** Monofilament leader with **Self Locating Snap** 

> 1042 18" **SNAPPER RELEASE CLIP** Monofilament leader with Cannonball Snap

**MINI SNAPPER** line release



**Locating Snap** 

1047 18" **MINI SNAPPER RELEASE CLIP** Monofilament leader with Cannonball Snap

## 2500 line puller crab & prawn trap pulling power

High torque 12 V motor pulls 1 crab trap or 4 prawn traps. 120 fpm retrieval speed. Accommodates ½"—¾" line. Compact size makes for easy stowing. Heavy duty stainless steel and composite construction. Easy access on/off switch. For recreational use only.

### FEATURES INCLUDED WITH LINE PULLER

Mounts
Non-tilting Mounting
Bracket

Power Source
Marinco' 12V Plug &
Receptacle (2125)

Power Cord Length 40"

Amperage Power
19 amp draw at 50 lbs.
Factory & Field Tested

↑ ↑↑ Fully Assembled

> Warranty 2 year

TRAP-EASE

Crab and prawn trap roller for easy retrieval. Fits all Scotty post mounts.



749
TRAP-EASE No mount.



750
TRAP-EASE 241 Side Deck Mount.



Pivoting pulley O .....

Stainless steel boom O···

Easy wrap capstan

2515
LINE PULLER STOW-AWAY BAG

This durable stow-away bag protects your Scotty Line Puller from the elements when not in use.



## universal rod holder the newest to the Scotty family



The R-5 Rod Holder has been designed to securely hold your, Spinning, Baitcaster, Level Wind, Spincaster and Fly Rods with up to 15 lb test line. The adjustable 1/4" stainless steel lock bar pivots open to allow a quick effortless release of your rod. Fully adjustable lock bar tension adjusted with two number ten screws. Designed and backed by the Scotty name.

















## POWERLOCK rod holder our most popular rod holder







1 7/8" ID accommodates large rods





36

Triple with 257 and 241 Mounts.



241 Side Deck Mount.



231 244 Flush Deck Mount.



449 Clamp and 241 Mount (maximum clamp opening 2").





**ROD HOLDERS** 

### rocket launcher

9" tube style Rod Holder made from fibre reinforced engineering grade nylon which offer strength, resilience and reliability. All post mount Scotty Rod Holders are fully adjustable up and down and with 360° of horizontal rotation. Accommodates a wide range of rod and reel setups.

Rocket Launcher Interior Diameter: 1.7"



Comes with no mount, enabling you to choose whichever mount suits your needs separately.



Includes 241 Combination Side Deck
Mount and can be mounted on top or side
of gunnel.

## stainless steel rocket launcher

Tube style Rod Holder with 9" of heavy duty stainless steel jacketed composite construction. Fibre reinforced engineering grade nylon offers strength, resilience and reliability. All post mount Scotty Rod Holders are fully adjustable up and down and with 360° of horizontal rotation. Accommodates a wide range of rod and reel setups.

Rocket Launcher Interior Diameter: 1.7"



Comes with no mount, enabling you to choose whichever mount suits your needs separately.



Includes 241 Combination Side Deck Mount and can be mounted on top or side of gunnel.

### rod master II

10" tube style holder with front end reel slot and removable gimbal pin accommodating any rod and reel combination. Fibre reinforced engineering grade nylon offers strength, resilience and reliability. All post mount Scotty Rod Holders are fully adjustable up and down and with 360° of horizontal rotation.

Rodmaster II Interior Diameter: 1.85"



**349**No mount.



350 241 Side Deck Mount.

### rod master

Original 8" tube style holder accommodates any rod and reel combination including large rod butt tips. Fibre reinforced engineering grade nylon offers strength, resilience and reliability. All post mount Scotty Rod Holders are fully adjustable up and down and with 360° of horizontal rotation.

Rodmaster Interior Diameter: 2 1/8"

### sidewinder

This Rod Holder was designed for fast and instant rod removal. Complete with 5/16" stainless steel for strength and durability. Soft grips protect your rod and this classic design is a favourite among anglers.



250 241 Side Deck Mount. Blainey Scott's original Rod Holder. The Side Winder has stood the test of time and is still a classic #1 choice.





351 244 Flush Deck Mount.



**358**Fits 1 1/4" Scotty Downrigger boom.

237 Triggerlock Mount Included.



**355**Fits <sup>3</sup>/<sub>4</sub>" and 1" Scotty Downrigger booms.

## BAITCASTER | rod holder | SPINNING | best selling rod holder

11 locking Position 360° Opost mount

Latching strap

Holds a baitcaster reel securely in the cushioned cradle. A slot in the front of the rod holder allows for secure holding of a spinning reel. This rod holder is designed with a side mounted flange which leaves the bottom open, this allows for the rod holder to accommodate trigger grips. Rods can be secured with a soft latching strap which snaps over the top for baitcaster or under the bottom for







449 Clamp and 241 Mounts. Maximum clamp opening 2".







438 Gear Head and 440-4 Track.

429 Gear Head Mount Extender and 241 Mount.



## FLY ROD rod holder secure holding of your fly rod

O Latching strap

Innovative compact design allows for hands free trolling with a Fly Rod. Your rod can be secured in the rod holder with the soft latching strap which snaps over the top. Works well with "short butt" fly rods. All post mount Scotty Rod Holders are fully adjustable.












264 244 Flush Deck Mount.

241 and 266 Float Tube Mounts.

265241 Side Deck Mount.



## ELECTRONIC mounts secure your fish finder

Mounting your fish finder has never been easier with our universal fish finder mount. Designed with a multi pattern top plate to fit most popular electronic brands. The perfect mount for your 7" - 9" screens. The post mount allows you to install your screen in any of our Scotty post mount brackets. A full 360° of rotation allows you to position your screen in the perfect spot every time. Engineering grade nylon and stainless steel fasteners guarantee a lifetime of use even in the toughest conditions. Some assembly required. Accessories sold separately.







UNIVERSAL SOUNDER FISH **FINDER MOUNT** 

This uses a multi pattern universal top plate and the post mount design for quick removal and adjustable rotation.



FLOAT TUBE FISH FINDER MOUNT

Adapt a fish finder to your float tube or pontoon boat. Includes transducer bracket and 6' strap.



**UNIVERSAL SOUNDER FISH FINDER MOUNT** 

The perfect mount for your 7"-9" screens.



**SWIVEL FISH FINDER MOUNT** Mount only.



**SWIVEL FISH FINDER MOUNT** 241 Side Deck Mount.

Pair your electronics with the strongest mounts on the market. All of our products are made under one roof. This gives us the ability to produce the highest quality you have come to trust.




## TRANSDUCER mount Designed for kayaks and small boats

Made from high strength composite materials. Adjustable arms allow for multiple depths and angles. Collapses easily for storage. 415 slip disks for micro adjustments.



TRANSDUCER ARM 412 Post and 241 Side Deck Mount.

415 Slip Discs



## CAMERA mount full rotation



#### **CAMERA MOUNT**

This mount is fully twistable, turnable, rotatable and best of all, instantly portable. Locks down a sport or standard camera without needing a special adaptor. Also included is a rail mount.



## Basystem designed for full range of motion



1'' BALL ACCESSORY
Adapt your Scotty low profile track to our 1" ball mounting system.



1.5" BALL ACCESSORY
Adapt your Scotty low profile track to our 1.5" ball mounting system.



169

169
1.5" BALL ACCESSORY
Adapt your Scotty post mount to our
1.5" ball mounting system.



151 1" BALL MOUNT Gear Head & track.



162 1.5" BALL MOUNT Gear Head, post & Side Deck Mount.



163
1.5" BALL MOUNT
Fish Finder & Universal Mounting Plate designed for use with 7-9" screens.



152 1" BALL MOUNT Gear Head, post & Side Deck Mount.



The ball mounting system

design enables a smooth, full range of motion. The corrosion proof construction provides a long service life in both fresh and salt water applications.

159

1" BALL ACCESSORY

1" ball mounting system.

Adapt your Scotty post mount to our

## 173 2.25" ball mount for large fish finders

Arrange your fish finder at the perfect angle on your watercraft with this heavy duty 2.25" ball mount. Designed for 10"- 12" fish finders. Pre fabricated holes on the top plate allow easy installation of your gimbal mount bracket. The square base securely fastens with 1/4" bolts. 2.25" ball design has superior strength and reliable holding power. Constructed using engineering grade Nylon and stainless steel fasteners to last a lifetime.







## 343 locking gunnel track mount

Purpose-built for boats with integrated gunnel tracks, the 343 securely attaches to your vessel without the need to drill holes, or carry tools.

This simple, intuitive design allows you to quickly add, remove, or reposition the mount anywhere on the boat, from bow to stern.


A dependable lock to keep gear solidly in place, and a push-button release makes changes and removal fast and easy.


Compatible with all of your favourite post mount Scotty accessories.

No tools or drilling holes required












### **Mounts** receivers for all Scotty posts



SIDE DECK MOUNT





COMPACT THREADED DECK MOUNT FLUSH DECK MOUNT Use on gunnels up to 2" thick. Base cap for watertight applications.



**SQUARE RAIL MOUNT** Fits 11/4" rail.



**OARLOCK MOUNT** 

Use the oarlock mount on your row boat to Fully portable mounting option for all mount any Scotty post mount rod holder or accessory.



**LOCKING SIDE DECK MOUNT** A 241 mount with an easy to use lock and unlock push button system.



**ROUND FLUSH DECK MOUNT** Sealed base for watertight applications.



Sealed base for watertight applications.



LOCKING FLUSH DECK MOUNT Locks and unlocks your post mount product easily by sliding a lever.



**ROUND RAIL MOUNT** Fits 11/4" rail.



**CLAMP MOUNT** Scotty post mount rod holders and accessories, maximum clamp opening 2".



**ROUND RAIL MOUNT** Fits 78" rail.



**COAMING/GUNNEL CLAMP MOUNT** Position your rod holder or accessory virtually anywhere on the lip of your kayaks coaming or boat gunnel, maximum clamp opening 11/2".

### adaptors



TRIGGERLOCK Designed for 222 Sidewinder Rod Holder.



**RAIL MOUNT ADAPTOR** Works in conjunction with 237 Triggerlock Mount (%" and 1" round rails).



**BACKING PLATE** Adds structural support when attaching a Side Deck or Flush Deck Mount to a thinwalled watercraft.



242 **RAIL MOUNT ADAPTOR** Works with 241 Side Deck Mount (%" and 1" round rails).



TRACK ADAPTOR Convert your 3 1/2" track into a Scotty Post Mount. 241 Side Deck Mount required.



**DOWNRIGGER ROD HOLDER ADAPTOR** Convert your 1023 tilt-up mounting bracket into a rod holder mount. 241 Side Deck Mount required.

## **TRIPLE** mounting systems

Designed to be a multi-functional rod holder or accessory platform for any watercraft.



TRIPLE MOUNT 241 Side Deck Mount.



**362 TRIPLE MOUNT** Fixed Mount.



## LOW PROFILE track

top load design for quick and easy use

Made from corrosion proof high strength composite materials that will last a lifetime. Use the 438 Gear Head Track Adaptor to mount all of your favourite rod holders and accessories.



440-4 4" LOW PROFILE TRACK Dimensions: 31/2" L x 13/4" W x 3/8" H Bolting Dimensions: 13/4" x 11/8"

440-8 **8" LOW PROFILE TRACK** Dimensions: 10 3/4" L x 1 3/4" W x 3/8" H Bolting Dimensions: 13/4" x 11/8"







## GEARHEAD track adaptor & mounts

Quick and easy, drop and lock system. Allows you to secure and reposition your rod holder or accessory with just a twist. Fits all Scotty post mount rod holders and accessories.



SIDE SLIDE TRACK ADAPTOR Our unique Track Adaptor allows you to securely fasten your favourite post mount product to a side mounted track.



**GEAR HEAD MOUNT** Use in conjunction with any of our height extenders to bring your rod or accessory closer to you.



**GEAR HEAD TRACK ADAPTOR** Use the Track Adaptor with the 440 Low Profile Track for quick and easy installation and removal of your favourite Scotty post mount product.



STAND UP PADDLE BOARD LEASH **PLUG ADAPTOR** 

The adaptor attaches to your SUP preinstalled leash plug with a stainless steel J Hook. Accepts all post mount rod holders and accessories.



135 CAMERA MOUNT • 438 GEAR HEAD • 440-8 TRACK

279 BAITCASTER • 438 GEAR HEAD • 440-8 TRACK



## 439 track adaptor for glue on pad

Our track adaptor allows you to mount your favourite track accessories to your inflatable watercraft's pre installed 341 mounts.

Simply fasten the track to your 341 mount with the supplied  $\frac{1}{4}$  - 20 x  $\frac{1}{2}$ " stainless steel bolts. Slide and lock our 438 gear head adaptor or ball mount onto the track.





Only use  $\frac{1}{4}$  - 20 x  $\frac{1}{2}$  " bolts when fastening the track to your 341 glue on pad.





279 BAITCASTER • 438 GEAR HEAD 439 TRACK • 341 GLUE/ON MOUNT



**368 MOUNT • 438 GEAR HEAD** 439 TRACK • 341 GLUE/ON MOUNT



368 MOUNT • 438 GEAR HEAD 439 TRACK • 341 GLUE/ON MOUNT



135 CAMERA MOUNT 438 GEAR HEAD 163 BALL MOUNT 439 TRACK 341 GLUE/ON MOUNT





279 BAITCASTER 438 GEAR HEAD 163 BALL MOUNT 439 TRACK 341 GLUE/ON MOUNT

## **BOATING** & fishing accessories



310
CUP HOLDER & BUTTON
Cup Holder A and Gunnel mount C.

### 311

CUP HOLDER, POST & BUTTON
Cup A, Post B and Gunnel mount C.



215
REPLACEMENT NET BAG



3010 Snap Hook Key Chain.



SLIP DISKS
Allows you to make micro adjustments to your rod holder or any Scotty post mount products.



415

OFFSET GEARS
Doubles your rod holder positions
for ultimate versatility.



412
REPLACEMENT POST
The replacement post fits all Scotty post mount rod holders.



A quick release and tangle free system for netting fish.

210

**NET MINDER** 

990 KNIFE SHARPENER Safe and easy to use. Rotatable carbide blades included.



125 TUMBLER CUP Holds up to 14 oz. dishwasher safe.









## PADDLE SPORT | accessories



PADDLE CLIP

Permanently mount to your watercraft with 2 x #6 screws.



42 LUE/STICK C

GLUE/STICK ON PADDLE CLIP Easily clip your paddle to your inflatable watercraft with 1" x 6" PVC pad.



130

PADDLE LEASH
Secure your paddle or fishing rod.



341 GLUE-ON MOUNT

Designed to be used with our 241/241L and 439 mounts (7" x 9" pad)



436

STAND UP PADDLE BOARD LEASH PLUG ADAPTOR

The adaptor attaches to your stand up paddle board's pre-installed leash plug with a stainless steel J Hook. Accepts all post mount rod holders and accessories.



445

2" GLUE/STICK ON MOUNT 438 Gear Head.



## kayak stabilizer security & stability

Feel secure and stable while fishing with Scotty Stabilizers attached to your kayak. Easily inflatable bladders offer over 30 pounds of extra buoyancy and our unique assembly system makes installation and removal a breeze. The pontoons are made from a rugged PVC with thick outer shell for extra durability.

#### **302**

**KAYAK STABILIZER** 

Over 30 lbs. of extra buoyancy. Our unique design makes installation and removal quick and easy.

#### CONTAINS

- **2** Inflatable Pontoons
- 2 Anodized Aluminum Stabilizer Arms (28")
- Baitcaster Spinning Rod Holders (279)
- Locking Side Deck Mounts (241L)

Length: 28"

rflatable Pontoon Length: 30"

Inflatable Pontoon Diameter: 8"

Zipper Opening: 30" long x 8" diameter












Not recommended for surf launching or use in extreme conditions.



## kayak fishing

Fishing essentials for outfitting your Kayak. The Kayak Starter Pack includes a 282 Baitcaster Spinning Rod Holder with Gear Head & Track, 438 Gear Head Track Adaptor, 440-4 4" Low Profile Track, 311 Drink Holder, 136 Paddle Clip and 455 Baitboard & Accessory Tray.



#### 282

BAITCASTER SPINNING ROD HOLDER WITH GEAR HEAD & TRACK

Holds a Baitcaster reel securely in the cushioned cradle.

#### 438

**GEAR HEAD TRACK ADAPTOR** 

Slide the Gear Head into any of our 440 series track, twist the gear head clockwise to securely lock.

#### 440-4

4" LOW PROFILE TRACK

Low Profile Track-top load design allows for quick and easy setup.

DRINK HOLDER

Fits cans, coffee mugs and insulated sleeves.

### 136

PADDLE CLIP


Holds your paddle, net, gaff & boat hook.

### 455

**BAITBOARD & ACCESSORY TRAY** 

Exterior tray walls let you cut bait and prep lures.

Stainless steel fasteners included: #10 x %.



## SAFETY equipment safety is no accident

## **Sea-Light**

ACR detachable, fully sealed LED C-Light™, bright 20 Lumen White LED for location assistance during emergencies. Easy twist ON/OFF activation that is waterproof tested. Impact resistant construction and is USCG/ SOLAS approved. C-Light™ is easily removed and can be attached to life jackets, backpacks, or hang from a pocket. C-Light™ requires two AA 1.5V batteries (batteries not included) C-Light<sup>™</sup> has an extensive and continuous operating life for over 30 hours.

### 835 SEA-LIGHT WITH SUCTION **CUP MOUNT**

A non-permanent safety addition that is perfectly portable for kayaks and small watercraft. Designed to meet the demands motion for the Sea-Light. The corrosion of the sea but also ideal for within a vehicle, for camping and whenever a reliable high efficient light is needed. Includes versatile suction cup mount for use in both salt and fresh water.

#### SEA-LIGHT WITH POLE **& BALL MOUNT**

The Scotty Ball System joint design enables a smooth and complete full range of proof construction of this system provides a long service life in both fresh and salt water applications as it is designed with stainless steel fasteners and a stainless pole. Base Mount Dimensions: 21/4" x 21/4" Overall Height: Stands 41" tall Sea-Light Pole Diameter: 1/2". Post Mount included.



**PADDLE LEASH** 



**SMALL VESSEL SAFETY EQUIPMENT** 




**780 SAFETY WHISTLE** 784 **PEALESS SAFETY WHISTLE** 



**Pumps** 544 18½″ O.A.L. HAND **PUMP** 545K 25½" O.A.L. KAYAK **PUMP** 544K 181/2"O.A.L. KAYAK PUMP 545 251/2" O.A.L. HAND **PUMP** 548 39" O.A.L. HAND **PUMP** 







The original incubator prototype was designed and tested by Mr. Fred Jordan, a Salmonid Technician for many years. He conceived the idea for The success of his early experiments with this unit led to research. development and further design of the experienced by natural spawning. incubator by Scotty Manufacturing Ltd. Sidney, BC. This unit is extremely efficient and very compact. It is simple to use, durable, cost effective and practical, making it an excellent addition to enhancement projects.

The Jordan/Scotty Fish Egg Incubator In nature, high egg loss rates can is a scientifically designed and tested plastic incubation unit and was developed to provide an efficient aid stream enhancement during the 1980's. in the stream incubating of fish eggs. The unique design either eliminates or minimizes most of the problems Fungus infection is virtually eliminated during the loading process and all and eggs are protected from and usage indicates that survival rates from egg to fry is often better than 65-95% as compared to natural spawning survival rates of between 5-20%.

easily be caused by poor fertilization, unsuccessful egg burial, fungus from dead eggs spreading to healthy eggs, attrition by predators, and silt suffocation. The Jordan-Scotty Fish Incubator addresses these issues and others. Egg quality can be checked eggs are fertilized before loading. predators and silt suffocation. Testing Eggs are quarantined from each other during development, limiting the spread of disease and fungal infection. Eggs are safe from predators and alevin are safely contained until their yolk sac have been absorbed, increasing survival rates.



### **Checking your Results and Removing Incubator**

When removing the incubator, care should be taken to not disturb the gravel, as this is where the fry

Once removed, the incubator can be opened to reveal the success of the hatch rate. Wash incubators thoroughly and dry before storage. Store in a dark, dry place. With proper care, the Jordan/Scotty Incubator units can be used season after season.

If possible, please submit results of your project to your local Fisheries Department or hatchery, as well as Scotty. We would appreciate any information or report you can provide in order to log success rates and use of these units.

### Where and When to Obtain Eggs

Contact your local Department of Fisheries & Oceans or similar agency. In Canada, contact the DFO Community Advisor. The disposition of salmonid eggs is carefully supervised and controlled by DFO to ensure that all enhancement activities meet are requirements and conform to the department standards.

Protocols regarding the transfer of eggs must be approved by the federal-provincial Introductions and Transfers Committee. In British Columbia, a list of the community advisors in your area can be obtained by contacting the Habitat Enhancement Branch.

#### **Department of Fisheries & Oceans Community Involvement Habitat Enhancement Branch**

400-555 West Hastings Street Vancouver. BC Canada **C** 1-604-666-6614

### **Where to Obtain Jordan Scotty Incubator Systems**

These Egg Incubator units are available at a nominal price to cover minimum raw materials and labour costs. Incubators can be purchased from:

#### **Scotty Manufacturing Ltd.**

**(** 1-800-214-0141 incubator@scotty.com





Check in with Scotty's Social Media Channels to learn about new products, promotions, give-aways, news and information. To submit your photos send them to <a href="mailto:socialmedia@scotty.com">socialmedia@scotty.com</a>



@scotty fishing products









@scottyproducts







82





## SCOTTY FISHING & OUTDOOR PRODUCTS

2065 Henry Ave West Sidney, British Columbia Canada V8L 5Z6

PHONE TOLL FREE FAX EMAIL 250 656 8102 1 800 214 0141 250 656 8126 scotty@scotty.com

☑ ¥ f ☐ www.scotty.com